050

PHOTOGRAPHIC INTERPRETATION REPORT


## MISSION COVERAGE INDEX

NPIC/R-24/65 January 1965



25X1A

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET

GROUP 1

Excluded from outomotic downgrading and declassification



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

R-24/65

#### PREFACE

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY

25X1A

COVERING LAOS. ITEMS ARE ARRANGED IN TWO SECTIONS.

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

TARGETS IN EACH SECTION ARE ARRANGED

1) WITHIN THE COUNTRY ACCORDING TO SUBJECT,

2) WITHIN THE SUBJECT BY WAC AREA, AND

3) WITHIN THE WAC AREA BY GEOGRAPHIC

COORDINATES IN ASCENDING ORDER. AN

EXPLANATION OF COLUMN HEADINGS AND PHOTO

REFERENCES USED IN PRESENTING THE INFORMATION

IS CONTAINED IN THE APPENDIX. THE MAP BASE

USED (WHEN AVAILABLE) FOR THE DERIVATION OF

1

R-24/65

COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L509, SCALE 1/250,000, L004, 1/50,000, AND THE ATC SERIES 200, SCALE 1/200,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

### SECTION I

THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

ſ	Target	Coordinates	WAC	Target	Yumbers	
	arger	Coordinates	WAC	BE	NPIC	
	NOTE AAA DEFENSES ARE DIVIDED INTO THREE BASIC CATEGORIES LIGHT (ZPU-2, ZPU-4, 37MM), MEDIUM (57MM, 85MM), AND HEAVY (100MM AND LARGER). WHERE SUCH A CATEGORY CANNOT BE DETERMINED, THE SITE WILL BE LISTED AS AN AAA SITE AND THE NUMBER OF GUNS INDICATED			3. 3.	y-	
	(EXAMPLE 6-GUN AAA SITE, OCCUPIED/			0.00	(9)	
	UNOCCUPIED).					
	-LAOS-				(A)	
	AIR INSTALLATIONS	• / /*			* * * · ·	
	NA KOUANG AREA, LANDING STRIP NORTH	2001N 10329	E Ø616		273	
	5.3 NM NORTH OF NA KOUANG AND Ø.3 NM WSW	EDDIN 12323	2 5010		213	
	OF NA KHANG. 1,900 X 110 FT NE/SW SOD RUNWAY, SERVICEABLE. SUPPORT FACILITIES INCLUDE 10 BUILDINGS AT	· * * * * * * * * * * * * * * * * * * *				
	NE EDGE OF RUNWAY AND A WINDSOCK.  APPROXIMATELY 50 PERSONNEL OBSERVED IN					
	SUPPORT AREA. AIRCRAFT NONE OBSERVED.			(8)		
1D	And the other what have a few many than	× •		25X1A	2 5	
	BAN NGOUA AIRFIELD  1.Ø NM SW OF BAN NGOUA.	192ØN 10308	E Ø617		479-A	
	4,200 X 70 FT ENE/WSW GRADED EARTH RUNWAY, UNSERVICEABLE. AIRCRAFT NONE OBSERVED.		3.4			
ID						
	MUONG PHANH AIRFIELD 1.6 NM WEST OF BAN NON HON. 6,800 X 155 FT E/W GRADED EARTH RUNWAY WITH	1926N 10305	E Ø617		427	

2-24/65

	Target	Coordinates	WAC	Target N	lumbers
-	- Cargot	Continues	""	BE	NPIC
25X1A 25X1D	ONLY THE EASTERN 3,100 FT POSSIBLY SERVICEABLE. GRADING ACTIVITY ON WESTERN SECTION OF RUNWAY APPEARS TO HAVE RESUMED. ONE TRUCK AND 1 STEAMROLLER OBSERVED ON RUNWAY. ONE ROAD GRADER, 2 STEAMROLLERS, AND NUMEROUS TRUCKS OBSERVED IN AREA. EXTENSIVE TRACK ACTIVITY THROUGHOUT AREA AND LEADING TO ACTIVITY IN QUARRY 1.3 NM SW AT UTM TG965480. COMOR TARGET NO				
	BAN NON HON AREA, LANDING STRIPS  1.6 NM WEST OF BAN NON HON.  (1) 4,200 X 175 FT NE/SW GRADED EARTH AND SOD LANDING STRIP, PROBABLY UNSERVICEABLE, AND (2) A 4,600 X 175 FT NE/SW SOD LANDING STRIP, PROBABLY UNSERVICEABLE (JUST EAST OF STRIP (1)). FACILITIES INCLUDE 1 SUPPORT BUILDING AND 4 DESTROYED BUILDINGS NORTH OF STRIP (1). ONE TRUCK OBSERVED. AIRCRAFT NONE OBSERVED.	1926N 10305E	Ø617		427-A
25X1D	BAN SAO, LANDING STRIP IMMEDIATELY NW OF BAN SAO AT UTM UGØ155Ø5. 1,700 X 100 FT N/S SOD RUNWAY, SERVICEABLE.	1927N 10307E	2517	-	42 <b>7</b> -D

	T	Coordinates	WAC	Target	Numbers
	Target	Coordinates	WAC.	BE	NPIC
25X1D	TEN DERELICT TRUCKS OBSERVED. AIRCRAFT 2 DERELICT COLT. PHONG SAVAN AIRFIELD	1927N 10313E	Ø617	25X1A	121
	11 NM NW OF XIENG KHOUANG AT UTM UG135527. 3,000 X 160 FT NW/SE SOD RUNWAY, SERVICEABLE. FACILITIES INCLUDE 2 SUPPORT BUILDINGS IMMEDIATELY WEST OF THE SE END OF RUNWAY. FOUR STRONGPOINTS OBSERVED PARALLEL TO EAST SIDE OF RUNWAY AT UTM UG133222. ONE ROADGRADER AND 1 TRUCK OBSERVED. AIRCRAFT 1 DERELICT HELICOPTER.	17214 19313	<b>D</b> 011		121
25X1A	COMOR TARGET NO				5 9
25X1D		54)	*		,
•	BAN SEN AREA, AIRFIELD  1.0 NM NE OF BAN SEN AT UTM TG990709.  1,700 X 100 FT NNE/SSW SOD RUNWAY,  UNSERVICEABLE.  SUPPORT AREA JUST EAST OF SSW END OF RUNWAY  HAS BEEN DISMANTLED.  ONE BOMB CRATER OBSERVED JUST WEST OF RUNWAY.  TWO PROBABLE PT-76 TANKS OBSERVED ON EDGE OF  WOODS APPROXIMATELY 0.5 NM WNW OF RUNWAY  CENTER AT UTM TG982714.  AIRCRAFT NONE OBSERVED.	1937N 10305E	Ø617		426-A
25X1D					
	THAM MOUK AREA, LANDING STRIPS 5.5 NM NE OF THAM MOUK AT UTM UG250860. (1) 700 X 70 FT NW/SE NATURAL SURFACE	1946N 10320E	Ø617	ll see	428


	Target	Coordinates	WAC	Target Numbers
3		Coordinates	""	BE NPIC
25X1D	LANDING STRIP, UNSERVICEABLE, AND (2) 850 X 70 FT NE/SW GRADED EARTH LANDING STRIP, SERVICEABLE, WITH ENTRENCHED STRONGPOINT ADJACENT TO SW END (2ND STRIP LOCATED APPROXIMATELY 800 FT NE OF LANDING STRIP (1)). AIRCRAFT NONE OBSERVED.			
ř.	MILITARY INSTALLATIONS			
	BAN NON HON AREA, STRONGPOINTS THREE STRONGPOINTS IN BAN NON HON VICINITY.	1925N 10304E	Ø617	427-K
į	STRONGPOINT A NOT COVERED.			
;	STRONGPOINT B (UTM TG979494) ABANDONED.			
25X1D	STRONGPOINT C (UTM TG9675Ø8) ABANDONED.			
	BAN SAO, ARMOR STORAGE AND MAINTENANCE AREA FOUR MILITARY AREAS IN BAN SAO VICINITY.	1927N 10307E	0617	427-E
25X1D	AREAS A, B, AND D NO APPARENT CHANGE SINCE			
	AREA C (0.5 NM EAST OF THE SOUTH END OF BAN SAO LANDING STRIP) NO BUILDINGS OBSERVED. AREA APPEARS ABANDONED.			
25X1D				
· property	BAN POUNG NOT AREA, MILITARY ACTIVITY TWELVE LIGHT AAA SITES IN BAN POUNG NOT VICINITY.	19 <b>3</b> 3N 10305E	0617	426-F

R-24/65

	T	Coordinates	WAC	Target	Numbers
	Target	Coordinates	#AC	BE	NPIC
SITES B, F, AND G SITE C (UTM TG996) SITE D (UTM TG992) SITE E (UTM TG996) SITE H (UTM UGØØ1) SITE I (UTM UGØØ1) SITE J (UTM UGØØ8) SITE K (UTM UGØØ6)	64Ø) 4-GUN, UNOCCUPIED.  NOT COVERED.  648) 4-GUN, UNOCCUPIED.  656) 4-GUN, OCCUPIED.  64Ø) 4-GUN, UNOCCUPIED.  646) 4-GUN, UNOCCUPIED.  649) 4-GUN, UNOCCUPIED.  65Ø) 4-GUN, UNOCCUPIED.	Coordinates	TAC	BE	NPIC
BAN BAN AREA, MILIT SIX MILITARY AREA (REFERENCED FROM  AREA A (1.2 NM NO) IRREGULAR TRENCH POSSIBLE AAA POSI  AREA B (0.9 NM NN	S IN BAN BAN VICINITY BAN BAN). RTH AT UTM UG504726) SYSTEM WITH 3 UNDCCUPIED	1939N 1Ø333E	Ø617		159-B

25X1D

	Target	Coordinates	WAC	Targe	t Numbers
				BE	NP:C
	AREA C (2.1 NM NW AT UTM UG522731) 2 UNOCCUPIED POSSIBLE AAA POSITIONS ENCLOSED BY A TRENCH SYSTEM.				
***************************************	AREA D (1.0 NM NE AT UTM UG511720) CIRCULAR TRENCH SYSTEM IS DETERIORATED AND AREA IS APPARENTLY ABANDONED.				
30 2	AREA E (1.2 NM NNE AT UTM UG5Ø2728) OBLONG TRENCH SYSTEM IS DETERIORATED AND AREA IS APPARENTLY ABANDONED.				
!	AREA F (1.1 NM ENE AT UTM UG517718) CIRCULAR STRONGPOINT WITH TRENCH SYSTEM WITH NUMEROUS FIRING BAYS IS DETERIORATED AND ABANDONED.				
(1D	MISCELLANEOUS				
1	ROUTE 7				
:	SINGLE-LANE, NATURAL SURFACE, ALL-WEATHER ROAD IN GOOD CONDITION OBSERVED INTERMITTENTLY FROM 19-32N 103-06E TO 19-28N 103-14E AND FROM 19-38N 103-31E TO 19-37N 103-34E. BRIDGE IN BAN BAN AREA (19-37N 103-33E) IS STILL OUT, BUT TRACK ACTIVITY INDICATES				
į.	USE OF A FORD JUST NORTH OF THE BRIDGE SITE. TWO TANKS PARKED AT 19-28N 103-14E AND 2 TRUCKS PARKED AT 19-27N 103-13E.				
X1D	E your grants. Wignessed go selected or exchange grants about the common of the common				



### SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

25X1D Approved For Release 2000/05/10 : CIA-RDP78B04560A004500010020-7 Next 1 Page(s) In Document Exempt

### Approved For Release 2000/05/10<sub>SEGE</sub>A-RDP78B04560A004500010020-7

R-24/65

#### **APPENDIX**

#### COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

 $\overline{\text{WAC}}$ --This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

#### COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

#### PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears.

#### CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).